Richards-Wilcox™
Garage Doors
SINCE 1912

Landmark Series™

RESIDENTIAL PRODUCT CATALOGUE



Briarcrest: Bronze, Swing, 2-Piece Arched 4-Pane Windows.

MADE IN CANADA

www.rwdoors.com

OUR HISTORY

Canada's Highest Quality Doors, Since 1912

CELEBRATING OVER 100 YEARS IN BUSINESS

Incorporated in 1912, Richards-Wilcox™ was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of a continuous polyurethane insulated section – one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. Celebrating our first centenary, R-W is proud of our rich history of excellence. We are committed to be innovators of sectional door design and to be the highest quality door systems manufacturer in the world.

QUALITY PRODUCTION

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.

WHY RICHARDS-WILCOX?

AUTHORIZED DEALERS

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.

MADE IN CANADA

Richards-Wilcox™ Canada has been in business for over 100 years; from parts, to hardware to panels, R-W doors are proudly Made in Canada.

LIFETIMER™ WARRANTY

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Life-Timer™ Warranty.

Landmark Series™

by

Richards-Wilcox™
Garage Doors

SINCE 1912

TABLE OF CONTENTS:

Traditional Doors:

Classic (L138) 6
Premium (L200) 8
Grandview (L200GV) 10

Modern Doors:

Premium Contemporary (L200C) 12
Classic Contemporary (L138C) 12

Carriage House Doors:

Briarcrest (L200BC) 14
Echo Ridge (L138ER) 16
Echo Ridge XL (L200ERX) 18

Custom Wood Overlay Doors:

Rockwood (L200RW) 20
Rockwood Contemporary (L200RWC) 22

Additional Information:

Classic & Premium Windows 24
Woodtones 25
Standard Hardware 26
Decorative Hardware 27

ALL LANDMARK DOORS FEATURE:

NEUFOAM™ INSULATION
Continuous polyurethane insulated core of high density foam resulting in energy saving R Values

HIGH-STRENGTH, RUST-RESISTANT, PRE-PAINTED GALVANIZED STEEL SHEETS
Available in a variety of colours to match the beauty of your home

WEATHERLOCK™ SECTION JOINT
R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity

BULB SEAL
Prevents air leaks

THERMAL BREAK
Prevents heat transfer and air infiltration

GALVANIZED STEEL ENDCAPS
Heavy duty for additional strength

ARCTIC GRADE BULB SHAPED BOTTOM SEAL
With a rust resistant aluminum retainer increasing the strength of the bottom edge of the door

ENGINEERED GARAGE DOOR SYSTEMS

OUR GARAGE DOORS LAST A LIFETIME

Engineered and tested door systems that conform to the highest industry standards and regulations. R-W manufactures all door panels and major hardware components, giving us complete quality control from start to finish.

NEUFOAM™

It's What's Inside That Counts!

In order to achieve the highest thermal values and stability, R-W sections are evenly filled with environmentally friendly CFC/HCFC-free Neufoam™. The higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels. Does not feature any other components in the process, such as wood.

WEATHERLOCK™ SYSTEM

Unique Section Joint & Perimeter Door Seal System

Landmark doors incorporate R-W's exclusive Weatherlock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity. R-W's Dual Fin, Triple-Contact Weather Seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most garage styles and colors. Our Arctic Grade Bulb Shaped Bottom Seal with a rust resistant Dual Contact aluminum retainer increases the strength of the bottom of the door.

TRUBALANCE™ DRUM SYSTEM

Safely Manually Operate Your Garage Doors In Emergency Situations

The patent pending Trubalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard. This improved drum configuration delivers a smoother operation, and more control, as the door moves through the track radius in to the horizontal plane. Homeowners will have piece of mind that they can safely operate their garage door with ease in emergency situations. Trubalance™ also reduces the load on your electric door opener extending the service-free life span.

CLASSIC

White, Raised Colonial with Stockton 6 Metal Insert WIndows

PANEL STYLES:

RAISED RANCH

RAISED COLONIAL

FLUSH

PLANK

WINDEMERE



RECESSED GROOVED RANCH

RECESSED GROOVED COLONIAL

RECESSED SMOOTH RANCH



Driftwood Woodtone, Recessed Grooved Ranch, Clear Ranch Windows

COLOUR OPTIONS

WHITE | ALMOND | SANDSTONE | DESERT TAN | BROWN

BRONZE | BLACK | SLATE GREY | CAFE

PRODUCT OVERVIEW

- 1 3/8" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available
- 9 Standard colours to choose from (see page 25 for woodtone options)
- 8 Panel styles to choose from

SEE PAGE 25 FOR WOODTONE OPTIONS

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.
Slate Grey and Cafe colour options are not available in Recessed Grooved Colonial or Recessed Grooved Ranch panel styles.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L138	12	1 3/8"	18" / 21" / 24" 6'- 6" to 10' in 3" Increments	20' X 12'

PREMIUM

Slate Grey, Raised Ranch with Prairie Metal Insert Windows

PANEL STYLES

RAISED RANCH

RAISED COLONIAL

FLUSH

PLANK

WINDEMERE

RECESSED GROOVED RANCH



RECESSED GROOVED COLONIAL

RECESSED SMOOTH RANCH

MIXED PANEL

A combination of Ranch and Colonial panel styles on the same door

POPULAR MIXED PANEL OPTIONS

10' (3048mm)



12' (3658mm)



12' (3658mm)



14' (4267mm)



14' (4267mm)



16' (4877mm)



16' (4877mm)



18' (5486mm)



Black, Recessed Smooth Ranch with Stockton 10 Metal Insert Windows

Mocha Woodtone, Recessed Grooved Ranch

COLOUR OPTIONS

WHITE | ALMOND | SANDSTONE | DESERT TAN | BROWN

BRONZE | BLACK | SLATE GREY | CAFE

PRODUCT OVERVIEW

- 2" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available
- 9 Standard colours to choose from (see page 25 for Woodtone options)
- 9 Panel styles to choose from

SEE PAGE 25 FOR WOODTONE OPTIONS

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.
Slate Grey and Cafe colour options are not available in Recessed Grooved Colonial or Recessed Grooved Ranch panel styles.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200	18	2"	18" / 21" / 24" 6'- 6" to 10' in 3" Increments	20' X 12'

GRANDVIEW

Mocha Woodtone, Recessed Grooved Ranch, Two-Piece Arched 4-Over-4 Windows

PANEL STYLES

RAISED RANCH

RAISED COLONIAL



FLUSH

PLANK

WINDEMERE

RECESSED GROOVED RANCH

RECESSED GROOVED COLONIAL

RECESSED SMOOTH RANCH

WINDOW OPTIONS

RECTANGLE

Wrought-Iron

4-Over-4

4-Pane

Clear

TWO-PIECE ARCH

Wrought-Iron

4-Over-4

4-Pane

Clear

Available in Clear, Obscure Pinhead and Satin Insulated Glass.

White, Raised Ranch, Rectangle Wrought Iron Windows

COLOUR OPTIONS

SEE PAGE 25 FOR WOODTONE OPTIONS

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.
Slate Grey and Cafe colour options are not available in Recessed Grooved Colonial or Recessed Grooved Ranch panel styles.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

PRODUCT OVERVIEW

- Large 24" top window section adds sheer elegance to your home
- 2" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Features Trubalance™ drum system
- 9 Standard colours to choose from (see page 25 for Woodtone options)
- 8 Panel styles to choose from

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200GV	18	2"	18" / 21" / 24"	18' X 12'

CONTEMPORARY

Black, Flush, Ranch Windows

WINDOW OPTIONS

COLONIAL

RANCH

SLIM WINDOWS

SINGLE

DOUBLE

ALUMINUM WINDOWS

CLEAR

SMOKE

PANEL STYLES



PLANK

FLUSH

Only one slim window is available, per section. Slim windows can only be applied in vertical placement down once side only.

Slim and Aluminum window options are not available for the Classic Contemporary (L138C).

POPULAR WINDOW CONFIGURATIONS



White, Flush, Colonial Windows

Black, Plank, Single Slim Windows

COLOUR OPTIONS

WHITE | ALMOND | SANDSTONE | DESERT TAN | BROWN

BRONZE | BLACK | SLATE GREY | CAFE

PRODUCT OVERVIEW

- Customizable window placement for a modern look
- 1 3/8" or 2" Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- 9 Standard colours to choose from (see page 25 for Woodtone options)
- 2 Panel styles to choose from

SEE PAGE 25 FOR WOODTONE OPTIONS

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200C	18	2"	18" / 21" / 24" 6'- 6" to 10' in 3" Increments	18' X 10'
L138C	12	1 3/8"		16' X 10'

BRIARCREST

Black, Bi-Fold, Rectangle 4-Over-4 Pane Windows

PANEL STYLES

A-BUCK

X-BUCK



V-BUCK

SWING

BI-FOLD

Note: Panel styles are available without windows.

Decorative Hardware does not come standard.

WINDOW OPTIONS

RECTANGLE

Wrought-Iron

4-Over-4

4-Pane



Clear

TWO-PIECE ARCH

Wrought-Iron

4-Over-4

4-Pane

Clear

Available in Clear, Obscure Pinhead and Satin Insulated Glass.

White, A-Buck, Rectangle 4-Over-4 Pane Windows



White, X-Buck, Rectangle 4-Over-4 Pane Windows

COLOUR OPTIONS

PRODUCT OVERVIEW

- Large 24" top window section and recessed panel design with inlays that provide a carriage house look
- 2" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available
- 9 Standard colours to choose from
- 9 Panel styles to choose from

SPECIFICATIONS:

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200BC	18	2"	18" / 21" / 24"	18' X 12'

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

ECHO RIDGE

Slate Grey, White Overlay, V-Buck, 4-Pane Windows

PANEL STYLES

A-BUCK

V-BUCK

X-BUCK

SWING



BI-FOLD

WINDOW OPTIONS

1 PANE

1 PANE ARCHED

3 PANE

3 OVER 3 PANE

3 OVER 3 PANE ARCHED

Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched
*10' (3048mm) wide doors use a 4-over-4 pattern

White, White Overlay, X-Buck, 3-Over-3 Pane Windows

Black, White Overlay, Swing, 3 Pane Windows

DOOR BASE COLOURS

WHITE | ALMOND | SANDSTONE | DESERT TAN | BROWN

BRONZE | BLACK | SLATE GREY | CAFE

OVERLAY BOARD COLOURS

WHITE | SANDSTONE

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

PRODUCT OVERVIEW

- Four-section door with carriage house overlays.
- 1 3/8" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available
- 9 Standard colours to choose from
- 2 Overlay board colours available
- 5 Panel styles to choose from

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L138ER	12	1 3/8"	18" / 24" 6'-6" to 10' in 6" Increments	16' X 10'

ECHO RIDGE XL

White, White Overlay, Double Bi-Fold & Bi-Fold, 4-Over-4 Pane Windows

PANEL STYLES

A-BUCK

V-BUCK

X-BUCK



SWING

BI-FOLD

DOUBLE BI-FOLD

WINDOW OPTIONS

1 PANE

1 PANE ARCHED

3 PANE

3 OVER 3 PANE

3 OVER 3 PANE ARCHED

Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched
*10' (3048mm) wide doors use a 4-over-4 pattern

White, White Overlay, V-Buck, 4-Pane Windows

White, White Overlay, Bi-Fold, 4-Over-4 Two-Pane Arched Windows

BASE COLOUR

WHITE

OVERLAY BOARD COLOURS

WHITE

SANDSTONE

PRODUCT OVERVIEW

- Three-section door with carriage house overlays.
- 2" Of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available
- 6 Panel styles to choose from
- 2 Overlay board colours available

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200ERX	18	2"	28" / 32" 7' to 10' in 4" Increments	16' X 10'

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

ROCKWOOD

Custom Shakespeare Design, 3" V-Match Inlay, Stain Grade, Arched Top, 3 over 3 Panes per window

A Three-Section Rockwood Carriage House door brings unparalleled warmth and individuality to your home. Custom-crafted red cedars overlays covering our technologically-advanced, foam-insulated steel panels offer vintage style with unsurpassed structural integrity.

COMPOSITE MATERIAL

1/2" Extira composite material.
A treated exterior smooth surface provides a flat exterior for painted doors.

V-GROOVE

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

CUSTOM COLOURS

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your local dealer about all the different color options for your door.

WINDOW OPTIONS

1 PANE

3 PANE ARCHED

3 OVER 3 PANE

1 PANE ARCHED

3 PANE

3 OVER 3 PANE ARCHED

Custom Waterloo Design, 3" V-match Inlay, Stain Grade, Arched Top,

Stratford Design, 3" V-match Inlay, Stain Grade, Arched Top, 3 over 3 Pane Window

ROCKWOOD STYLE OPTIONS

This is a small sampling of the Rockwood Style Options. Custom designs are available. See dealer for details.



BENTLEY



BRACEBRIDGE



CROSSHILL



HARMONY



HARRINGTON



LINWOOD



OWEN SOUND



OXFORD



SHAKESPEARE



STRATFORD



WATERLOO



WINDSOR

PRODUCT OVERVIEW

- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header. Can be constructed to match any opening
- 2" of Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200RW	19.35 (Based on 1" Cedar Board)	3" (2" Landmark Panel & 1" Cedar Board)	18"/21"/24"/28"/32" 6'- 6" to 12' in 3" Increments	18' X 10'

ROCKWOOD CONTEMPORARY

Contemporary Style #2, 5" Random Length V-Match, Paint Grade, Custom Windows, 1 Pane Per Window

A Rockwood Contemporary door brings unparalleled warmth and individuality to your home. Custom-crafted red cedars overlays covering our technologically-advanced, foam-insulated steel panels offer vintage style with unsurpassed structural integrity.

COMPOSITE MATERIAL

1/2" Extira composite material.
A treated exterior smooth surface provides a flat exterior for painted doors.



V-GROOVE

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

CUSTOM COLOURS

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your local dealer about all the different color options for your door.

WINDOW OPTIONS

1 PANE

3 PANE ARCHED

3 OVER 3 PANE

1 PANE ARCHED

3 PANE

3 OVER 3 PANE ARCHED

Contemporary Style #2, 5" Full Length V-Match, Stain Grade, No Windows

Contemporary Style #5, 5" V-Match Inlay, Stain Grade, Custom Windows

POPULAR ROCKWOOD CONTEMPORARY CONFIGURATIONS

This is a small sampling of the Rockwood Contemporary Panel Options. Custom designs are available. See dealer for details.



STYLE #1



STYLE #2



STYLE #3



STYLE #4



STYLE #5



STYLE #6



STYLE #7



STYLE #8



STYLE #16



STYLE #17



STYLE #19



STYLE #20

PRODUCT OVERVIEW

- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header. Can be constructed to match any opening
- 2" 0f Neufoam™ insulated polyurethane core
- Features R-W's Weatherlock™ system
- Trubalance™ drum system available

SPECIFICATIONS

MODEL #	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
L200RW	19.35 (Based on 1" Cedar Board)	3" (2" Landmark Panel & 1" Cedar Board)	18"/21"/24"/28"/32" 6'- 6" to 12' in 3" Increments	18' X 10'

CLASSIC (L138) & PREMIUM (L200) WINDOW COLLECTION

When it comes to choosing the right window design for your garage door, no one can help you like your authorized R-W Dealer to achieve that perfect finishing touch to your new garage door. Once you've made your choice, that same R-W professional will install your new garage door, ensuring maximum performance and reliability Here is a sampling of Decorative plastic inserts and metal inserts.

DECORATIVE INSERTS

COLONIAL CLEAR

SUNBURST RANCH

STOCKBRIDGE ARCH

RANCH CLEAR

STOCKTON COLONIAL

STOCKTON RANCH

PRAIRIE COLONIAL

STOCKTON RANCH

STOCKBRIDGE RANCH

PRAIRIE RANCH

STOCKTON ARCH

CASCADE RANCH

CASCADE COLONIAL

WATERTON COLONIAL

CATHEDRAL COLONIAL

SHERWOOD COLONIAL

WATERTON RANCH

SUNBURST 4

SUNBURST 6

SUNBURST 7

SUNBURST 8

SUNRAY (4 PANEL)

BRECKENRIDGE

BERKSHIRE

METAL INSERTS

ROUND BAR

3/8" (10 mm) round bars available in pewter. Standard with clear double glass; obscure pinhead and satin glass is optional.

SQUARE BAR

3/8" (10 mm) square bars available in black. Standard with clear double glass; obscure pinhead and satin glass is optional.

ALUMINUM GRID

5/8" (16 mm) grids available in sandstone, desert tan, almond, bronze, brown, café, slate grey, white and black. Standard with clear double glass; obscure pinhead and satin glass is optional.

AVAILABLE IN:

STOCKTON 4

STOCKTON 6

STOCKTON 10

PRAIRIE COLONIAL

PRAIRIE RANCH

FRAME COLOURS: Window Frames available in standard door colours and wood finishes

WHITE

ALMOND

DESERT TAN

SANDSTONE

BRONZE

BROWN

CAFÉ

SLATE GREY

BLACK

WALNUT

AUBURN

MOCHA

DRIFTWOOD

GLASS OPTIONS

CLEAR

OBSCURE

SATIN

BLACK SATIN

DARK TINT

Windows available in single glass (clear obscure pinhead and dark tint) or double glass. (clear and obscure pinhead, satin, black satin & dark tint)

Simulate the look of an authentic wood door but on a durable and low maintenance Neufoam™ insulated steel door.

AVAILABLE IN THESE VIBRANT WOODTONES

AUBURN

MOCHA

WALNUT

DRIFTWOOD

PANEL STYLE AVAILABILITY	Raised Ranch	Raised Colonial	Mixed Panel	Flush	Plank	Recessed Grooved Ranch	Recessed Grooved Colonial	Recessed Smooth Ranch	Windemere
Classic (L138) **Page 6**	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	NOT AVAILABLE
Premium (L200) **Page 8**	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	NOT AVAILABLE
Grandview (L200GV) **Page 10**	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	Available in: Auburn Mocha
Premium/Classic Contemporary (L200C & L138C) **Page 12**	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

Premium, (L200) Classic, (L138) and Grandview (L200GV) doors ordered with Ranch (Raised or Recessed Grooved), Colonial (Raised or Recessed Grooved) or Mixed Panel designs in Auburn or Mocha will be produced using dual-directional Woodtones. Recessed Smooth Ranch, Flush and Plank sections will be offered using single directional Woodtones.

All Walnut sections will be produced using single directional Woodtones only. All Driftwood sections will be produced using dual-directional Woodtones only.

Models ordered with Plank or Flush designs will be offered using single-directional Woodtones only.

Auburn and Mocha Flush or Plank selections are available in both Stucco and Woodgrain Embossing. Walnut Flush or Plank selections are only available in Woodgrain embossing.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

NOT JUST ANOTHER PRETTY FACE

Our Hardware Components Are Made To The Highest Industry Standards.

TORSION SPRING

Oil tempered, stress relieved

10,000 Cycle Torsion Spring with the Standard Hardware Set

20,000 Cycle Torsion Spring with the Standard Hardware **PLUS** Set

OPERATOR BRACKET

Powdercoated and Fully Adjustable 11 GA Steel.
(Optional Accessory)

TRACK AND HEAD ASSEMBLY

Trubalance™ Drum results in 87% improved balance on glazed top sections with insulated glass
(Industry norm: result in significantly imbalanced doors shortening the life of Electric Door Openers and Unsafe in Manual mode)

Galvanized rust resistant shaft.
(Industry norms typically non galvanized)

Pre-Assembled Flag Bracket that connects the Vertical and Horizontal Track with the Head Assembly

Full length Horizontal Angle is standard for Double Doors



Vertical and Horizontal Track are 16 Ga with the Standard Hardware Set

Vertical and Horizontal Track are 14 Ga with the Standard Hardware Plus Set

CENTRE BEARING



Steel Bearing on Doors with Standard Hardware **PLUS** Set

CENTRE HINGES

Commercial-grade 14 GA centre hinge
(Industry norm: 16GA or lighter)

Designed to be incorporated with a trussing system for added strength

WARRANTY

5 Year Hardware Warranty for the Standard Hardware Set

Limited Lifetimer Hardware Warranty for the Standard Hardware **PLUS** Set

TRACK BRACKETS, END HINGES AND ROLLERS

14 Ga Top Bracket

10-ball bearing white nylon rollers on zinc plated stem
(Industry Norm: Either Steel or Plastic)

14 Ga Roller Bracket

Riveted Track Brackets on Standard Hardware Set

13 Ga Bottom Bracket

Adjustable Bolted Brackets on Standard Hardware **PLUS** Set

DECORATIVE HARDWARE

16” CAST IRON SPEAR HINGE ASSEMBLY

16” STAMPED SPADE HINGE

16” CAST IRON COLONIAL HINGE

16” CAST IRON SPEAR HINGE

KEYED + DUMMY SPADE L-HANDLE

KEYED + DUMMY L-HANDLE

CAST IRON L-HANDLE LONG DUMMY HANDLE

CAST IRON FLEUR-DE-LYS DUMMY HANDLE

CAST IRON LION’S HEAD DOOR KNOCKER

CAST IRON FLEUR-DE-LYS DOOR KNOCKER

CAST IRON DOOR STUDS

CAST IRON COLONIAL PULL HANDLE

CAST IRON SPEAR PULL HANDLE

ARCHED CAST IRON FLEUR-DE-LYS PULL HANDLE

STAMPED SPADE PULL HANDLE

CAST IRON COLONIAL LIFT HANDLE

CAST IRON SPEAR LIFT HANDLE

CAST IRON FLEUR-DE-LYS LIFT HANDLE

STAMPED SPADE LIFT HANDLE

MAGNETIC HARDWARE

MANOR COLLECTION

COLONIAL COLLECTION

MISSION COLLECTION

Landmark

Series™

by

Richards-Wilcox™
Garage Doors

SINCE 1912

For additional information and friendly advice, please contact your local Richards-Wilcox™ dealer.

Professionally installed and serviced by:

RICHARDS-WILCOX™ GARAGE DOORS
5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: info@rwdoors.com

www.rwdoors.com

Revised March 2022 • Part # 1-0200-BLM14SHYE